

AMENDED RATE ORDER AND REGULATIONS GOVERNING WATER
AND SANITARY SEWER LINES AND CONNECTIONS

WHEREAS, Fort Bend County Municipal Utility District No. 122 (the "District") is in the process of constructing a water, sewer and storm drainage system to provide service to residential and commercial establishments within the District (the "System"); and

WHEREAS, it is necessary that fees, charges, and conditions be established for service from the District's System; and

WHEREAS, the District has been asked by the State Legislature to adopt and implement a program of water conservation aimed at reducing the consumption of water, reducing the loss or waste of water and improving efficiency in the use of water; and

WHEREAS, it is the District's intent to establish rates for service from the District's System that will encourage sound management of the District's water usage and conservation practices by Users within the District; and

WHEREAS, the escalating rates for increased water usage herein adopted by the District are intended to promote conservation and efficient management of the District's water resources; Now, Therefore,

BE IT ORDERED BY THE BOARD OF DIRECTORS OF FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 122 THAT:

Section 1: Definitions. The following words or phrases shall have the meanings indicated below:

- A. "Construction Site Operator" - means any party performing soil disturbing activities within the District. This includes developers, builders, contractors, subcontractors, and all trades.
- B. "Non-Single Family Residential User" - means any user of the District's System other than a Single Family Residential User including, but not limited to, apartments, multi-family dwelling units, and commercial establishments.
- C. "Non-Taxable User" - means any user of the District's System other than a Single Family Residential User or a Non-Single Family Residential User that is exempt from ad valorem taxation by the District under the State Property Tax Code, including, but not limited to, schools and churches.

- D. "Public Space User" - means any user of the District's System for public or homeowner association esplanades, lakes, recreational areas or green spaces ("Public Spaces").
- E. "Single Family Residential User" - means a user of the District's System that consists of one residence designed for use and occupancy by a single family unit.
- F. "Storm Sewer User" - means a user of the District's storm drainage system, including, without limitation, construction site operators.

Section 2: Tap and Inspection Fees.

- A. Single Family Residential Users. Prior to connection to the District's System, a tap fee for water service as set forth herein plus the costs of the necessary service lines and repairing or restoring any yards, sidewalks, streets, landscaping, concrete or other improvements, affected by the installation (the "Installation Costs") shall be paid to the District to cover the cost of making said connection and the cost of providing the water meter. In the case of a 5/8" water meter, the tap fee shall be \$1,000.00. In the case of a 3/4" water meter, the tap fee shall be \$1,100.00. In the case of a 1" water meter, the tap fee shall be \$1,375.00. In the case of a water meter larger than 1", a tap fee equal to the District's actual cost for installation of the tap and meter, plus 100% (not to be less than \$1,000.00) shall be paid to the District. The District's operator will notify the User of the Installation Costs.
- B. Non-Single Family Residential Users. Prior to connection to the District's System, a tap fee for water service shall be paid to the District equal to three (3) times the District's actual cost of installing the tap and meter plus the costs of the necessary service lines, and repairing or restoring any yards, sidewalks, streets, landscaping, concrete or other improvements, affected by the installation (the "Installation Costs"). The District's operator will notify the User of the Installation Costs.
- C. Non-Taxable Users. Non-taxable Users shall pay a tap fee for water service equal to the District's actual cost of installing the tap, meter and any necessary service lines and the cost of repairing or restoring any yards, sidewalks, streets, landscaping, concrete or other improvements affected by the installation (as determined by the District's operator, together with the District's consultants) plus the District's actual cost of the facilities necessary to provide District services to the Non-Taxable User that are financed or to

be fully or partially financed by the District's tax bonds (as determined by the District's consultants and approved by the Board of Directors) (the "Non-Taxable User Installation Costs"). The District's operator, together with the District's consultants, will determine the Non-Taxable User Installation Costs, which will then be approved by the Board of Directors and be sent to the User.

- D. Public Space User. All Public Space Users shall be required to have meters installed prior to connection to the District's potable water system, which shall be installed by the District's operator. A user requesting a water or sanitary sewer tap for Public Spaces shall pay a tap fee equal to the District's cost to install the sanitary sewer and water tap and water meter.
- E. Irrigation Systems. Prior to connection to the District's potable water system, a tap fee equal to the District's actual cost for installation plus the cost of the meter shall be paid to the District for irrigation systems that have been authorized by the District and that are to be used solely for the purpose of providing irrigation water to landscaped areas within the District. All such connections to the District's water system shall be made by a representative of the District.
- F. Sewer Connection Inspection. All connections to the District's sewer system shall be made in accordance with the provisions of the regulations governing water and sanitary sewer lines and connections set forth herein. All connections to the District's sewer system shall be inspected by the District's operator or its subcontractor prior to being covered in the ground. In the event a sewer connection is made and covered without such inspection, water service at such location shall be terminated and shall not be allowed until an approved sewer connection inspection has been performed. An inspection fee of \$60.00 per Single Family Residential connection and \$100.00 per Non-taxable connection shall be paid to the District. The fee per Non-Single Family Residential connection will be quoted by the District's operator on a case-by-case basis. If a sewer connection fails the inspection, an additional inspection at the same inspection fee is to be paid to the District prior to reinspection.
- G. Pre-Facility Inspection. All builders or contractors for property owners within the District must contact the operator, prior to starting any work on property within the District, to do an inspection to verify District facilities. If any District facility is either damaged or cannot be located, the operator will make necessary repairs or locate and make visible such facility at the expense of the District. A copy of the inspection will be given to the builder's or contractor's representative. After the inspection and any

necessary work is completed, the builder or contractor will then be responsible for paying the costs of all damages, adjustments, relocations and repairs found during the Final Site Survey. The cost for each inspection is \$60.00.

- H. Facility Inspection. After construction has been completed on the property, but before service is transferred to a User, the District's operator will conduct a Final Site Survey to reinspect the water tap, meter and all other District facilities on the property for a fee of \$60.00. (The \$60.00 fee shall be collected at the time the tap fee is paid.) In connection with the above inspection or any other time, the property owner, builder or contractor will be held responsible for any damages or adjustments to District facilities or other conditions that might reasonably be expected to cause damage to District facilities, and the cost of correcting such conditions, repairing, adjusting or relocating the facilities (the "Backcharges"). Such charges are payable immediately and shall be paid before service shall be initiated to a User. If any re-inspections of the facilities are required to ensure that the District's facilities are repaired, relocated or adjusted, a fee of \$50.00 shall be charged for each such re-inspection before service will be transferred to a subsequent User. Payment of the Backcharges, or any \$50.00 inspection or re-inspection fees, shall be made on or before the 30th day after the date of the invoice for said charges. The District may withhold the provision of service to the property or to other property owned by any User, property owner, builder or contractor who has failed to timely pay the Backcharges or any \$50.00 inspection or re-inspection fee, including specifically the provision of additional taps; provided, however, the District shall follow the notification procedures set forth in this Rate Order prior to withholding the provision of service.
- I. Grease Trap Inspection. For each grease trap installed, there shall be charged an initial fee of \$60.00. For each grease trap installed, there shall be charged a monthly flat rate inspection fee of \$60.00. If the operator is required to reinspect the grease trap, such reinspection shall be charged at the same \$60.00 rate.

Section 3: Regulatory Assessment. Pursuant to the Texas Water Code, each user of the District's water and sanitary sewer system is hereby assessed a charge of one-half of one percent of the District's charge for water and sewer service. This assessment is included in the rate schedules listed below and will be forwarded to the Texas Commission on Environmental Quality, as required by the Texas Water Code, and used to pay costs and expenses incurred in its regulation of water districts.

Section 4: Water and Sewer Rates.

- A. Builder Connections. After approval of the sewer connection and prior to initial occupancy, a builder shall be charged a monthly flat rate of \$35.00 for service whether or not there is any actual usage.
- B. Single Family Residential User Fees. After initial occupancy, each Single Family Residential User ("SFR") within the District shall be charged for service on a monthly basis according to the volume of water used and in accordance with the following schedule:

<u>Amount of Payment</u>	<u>Water and Sewer Usage</u>
\$17.25	Minimum monthly charge per SFR equivalent connection for water as determined by the District's engineer (institutes first 5,000 gallons usage)
\$ 2.70	Water rate per 1,000 gallons metered water for usage between 5,000 gallons and 10,000 gallons
\$ 3.00	Water rate per 1,000 gallons metered water for usage between 10,000 gallons and 20,000 gallons
\$ 3.15	Water rate per 1,000 gallons metered water for usage between 20,000 gallons and 50,000 gallons
\$ 3.30	Water rate per 1,000 gallons metered water for usage between 50,000 gallons and 75,000 gallons
\$ 3.60	Water rate per 1,000 gallons metered water for usage over 75,000 gallons
\$37.74	Minimum monthly charge per SFR equivalent connection for sewer as determined by the District's engineer (institutes first 5,000 gallons usage)

\$4.60

Sewer rate per 1,000 gallons metered water for over 5,000 gallons, subject to limitations herein-after set forth

Sewer charges for billing periods April through September shall not exceed the average usage established during the billing periods of October through March. New SFR Users, with no historical usage for the October through March period, shall be billed for sewer usage during the April through September period which does not exceed adopted Standard Sanitary Sewer Usage Rates attached hereto as Exhibit A.

- C. Non-Single Family Residential User. After initial occupancy, each Non-Single Family Residential User within the District and each unit occupied by a separate business, including separate establishments within a single building, shall be charged a monthly minimum of \$20.00 per SFR equivalent connection. Water usage between 1,000 gallons and 30,000 gallons will be charged at a rate of \$1.00 per 1,000 gallons and water usage over 30,000 gallons will be charged at a rate of \$1.50 per 1,000 gallons. Sewer usage per 1,000 gallons metered water for over 1,000 gallons will be charged at a rate of \$1.50 per 1,000 gallons.
- D. Public Space User. Water service will be provided to public esplanades, lakes, recreational areas or green spaces ("Public Spaces") within the District at a rate of \$0.45 per 1,000 gallons of water usage per month. In order to promote conservation of the District's water supply, however, Public Space users will pay an increased rate to be set by the District if the District determines that the Public Space user's water usage is excessive, inefficient, and/or wasteful. This rate will not apply to nonpotable water usage by Public Space Users.
- E. Non-Taxable User. Each unit occupied by a separate business, including separate establishments within a single building, shall be charged a monthly minimum of \$20.00 per SFR equivalent connection. Water usage between 1,000 gallons and 30,000 gallons will be charged at a rate of \$1.00 per 1,000 gallons and water usage over 30,000 gallons will be charged at a rate of \$1.50 per 1,000 gallons. Sewer usage per 1,000 gallons metered water for over 1,000 gallons will be charged at a rate of \$1.50 per 1,000 gallons.
- F. Irrigation Systems. Metered water connections authorized by the District and established solely for the purpose of providing water to irrigation systems shall be charged a monthly minimum of \$15.00. Water usage between 1,000 gallons and 30,000 gallons will be charged at a rate of \$1.00 per 1,000 gallons and water usage over 30,000 gallons will be charged at a

rate of \$1.50 per 1,000 gallons. This rate will not apply to nonpotable water usage. There shall be no sewer charge for irrigation meters.

- G. North Fort Bend Water Authority ("NFBWA") Fee. The NFBWA assesses a fee to the District for each 1,000 gallons of surface water provided by the NFBWA to the District, which surface water fee may be amended from time to time. Each User of District water for any purpose, whether builder, Single-Family Residential, Multi-Family Residential, Commercial, or any other type of User, shall be billed, in addition to the water rates set forth above, a fee for each 1,000 gallons of potable water delivered to such User in a billing cycle that is equal to 110% of the surface water fee charged by the NFBWA per 1,000 gallons of water (the "Surface Water Fee").

Section 5: Maintenance and Repair. It shall be the responsibility of each User to maintain the water and sewer lines from the home or building to the point that the User's lines connect to the District's water and sewer system.

Section 6: Temporary Water Service.

- A. The District's operator shall be authorized to make a temporary connection to any fire hydrant or flushing valve upon receipt of a written request for temporary water service. Such temporary service shall be supplied only through a District meter installed by the District's operator.
- B. The person applying for temporary water service shall be required to deposit \$800.00 with the District to secure the payment for water supplied by the District and the safe return of the District's meter. Upon receipt of full payment for temporary water used and return of the meter in good condition, the deposit will be returned; provided, however, any damage to the meter or unpaid balances will be paid from the deposit.
- C. The fee for temporary water service shall be \$50.00 for costs of installation plus \$1.50 per 1,000 gallons of water delivered through the meter, plus the Surface Water Fee.

Section 7: Plumbing Regulations; Prohibition Against Cross-Connections and Unacceptable Plumbing Practices; Penalty for Violation. Pursuant to Title 30, Chapter 290 of the Texas Administrative Code, the District adopts the following plumbing regulations, which apply to all users of the District's potable water distribution system.

- A. Service Agreements. Prior to receiving service from the District to new construction or to buildings containing new plumbing fixtures, a User must

execute a Service Agreement in the form attached as Exhibit C hereto. The District will charge each User a one-time administrative fee of \$30.00 for the Service Agreement.

- B. Plumbing Fixtures. A User is not permitted to install any plumbing fixture which is not in compliance with a state approved plumbing code and the plumbing code, if any, required by the city in whose jurisdiction the District is located.
- C. Prohibition Against Water Contamination. No direct connection between the District's potable water distribution system and a potential source of contamination is permitted. Potential sources of contamination shall be isolated from the District's potable water distribution system by the installation of an air-gap or an appropriate backflow prevention device in accordance with state plumbing regulations. In addition, all pressure relief valves and thermal expansion devices must be in accordance with state plumbing codes and the plumbing code, if any, required by the city in whose jurisdiction the District is located.
- D. Backflow Prevention Assemblies. All sprinkler systems, spas and pools must have backflow prevention assemblies installed by the User at the User's sole cost and expense. In addition, the District, in its sole discretion, may require a User to install a backflow prevention assembly at any meter(s) servicing such a User's property. The District, in its sole discretion, also may require any User to install other backflow prevention assemblies at any fixture in order to prevent contamination of the District's potable water distribution system or if the User's plumbing system poses a high health hazard. A high health hazard is defined by the Texas Commission on Environmental Quality as a "cross-connection, potential cross-connection, or other situation involving any substance that could cause death, illness, spread of disease, or has a high probability of causing such effects if introduced into the potable drinking water supply." If the District determines that a User must install a backflow prevention assembly as a protection against a high health hazard, the backflow prevention assembly used must comply with a state approved plumbing code and the plumbing code, if any, required by the city in whose jurisdiction the District is located, and must be tested and certified at least annually by a recognized backflow prevention assembly tester. A list of certified backflow prevention assembly inspectors can be obtained from the local office of the Texas Commission on Environmental Quality.

The User is responsible for insuring that all backflow prevention assemblies are tested upon installation by a recognized backflow prevention assembly

tester. The cost to perform this test will be \$100.00 for Single Family Residential Users and \$_____ (quoted) for Non-Single Family Residential Users, which is due and payable prior to the test. The annual administrative cost for locations with backflow prevention assemblies will be \$100.00, which is due and payable upon notification. The User is solely responsible for the cost of \$100.00 for this test. If the District requires the installation of a backflow prevention assembly in order to prevent a serious threat to the District's public water supply, then the District, in its sole discretion, may immediately terminate service to the User. In that event, service will not be restored until the backflow prevention assembly has been installed and tested and a signed and dated original of a "Backflow Prevention Assembly Test and Maintenance Report" in the form attached hereto as Exhibit D has been provided to the District's operator.

If the District determines that a backflow prevention assembly must be installed for reasons other than to eliminate a serious threat to the District's public water system, the User must install the backflow prevention assembly within five working days after receipt of notice from the District that such installation is required. In addition, the User must provide the District's operator with a signed and dated original of a "Backflow Prevention Assembly Test and Maintenance Report" within three working days of the installation of the backflow prevention assembly and within three working days of any subsequent repair, maintenance or testing of such assembly. If the User fails to provide the testing certificate within this time, the District, in its discretion, may terminate service to the User pursuant to the terms of this Rate Order. The District's operator will retain such reports for a minimum of three years.

- E. Customer Service Inspections. A customer service inspection is required prior to the time the District (i) provides continuous water service to new construction, (ii) provides water service to private plumbing facilities that have been added to existing construction or materially improved or corrected, or (iii) continues service to a User when the District has reason to believe that cross-connections or other unacceptable plumbing practices exist. The cost of such customer service inspection will be the sole responsibility of the User. The District's operator will perform this inspection at no charge for Single Family Residential Users and on an individual basis for other Users. Customer service inspections include an inspection prior to the pouring of a slab, an inspection prior to the installation of sheet rock, and a final plumbing inspection. All fees relating to the customer service inspection shall be paid by the User prior to the inspection, and if the inspection is made in connection with new construction, the fee will be collected with the tap fee. The District's

operator and engineer shall determine whether these services duplicate inspections or other services performed by or on behalf of the City, and, if so, shall not perform such inspection or service or assess the resulting fee.

Prior to initiating service to new construction or buildings containing new plumbing fixtures, the District's operator will prepare a signed and dated "Customer Service Inspection Certification" in the form attached hereto as Exhibit B. The District's operator will retain such inspection certifications for a minimum of ten years. If the User requests a copy of the Certificate, the District's operator will provide the User with the Certificate. In connection with the customer service inspection, the User shall allow its property to be inspected by the District's operator during normal business hours for possible cross-connections and other unacceptable plumbing practices which violate this Rate Order. Thereafter, the District's operator or its subcontractors may, at the discretion of the District and/or the District's operator, periodically inspect a User's plumbing system during normal business hours for the purpose of identifying possible cross-connections and other unacceptable plumbing practices which violate this Rate Order.

- F. Prohibition Against Cross-Connections. No cross-connection between the District's potable water distribution system and a private water system is permitted. Where an actual air gap is not maintained between the public water supply and a private water supply, an approved reduced pressure-zone backflow prevention assembly must be properly installed and such assembly must be annually inspected and tested by a certified backflow prevention device tester. By accepting service from the District, all Users agree to allow such annual inspection and testing of backflow prevention assemblies to take place during normal business hours. If any User refuses to allow such annual inspection and testing, service to such User will be discontinued until such inspection and testing is completed.

No connection which allows water to be returned to the District's potable water distribution system is permitted. This includes, but is not limited to, any device pursuant to which water is removed from the District's potable water distribution system, circulated through a User's system for condensing, cooling and heating of fluids or industrial processes, including but not limited to a heat exchange system, and routed back to the District's potable water distribution system.

- G. Notice of Unacceptable Plumbing Practices. The District shall notify the User in writing of any cross-connection or other unacceptable plumbing practice which has been identified during the customers service inspection,

the final plumbing inspection, any periodic reinspection, or any other inspection. At its sole cost and expense, the User shall immediately correct any unacceptable plumbing practice on its premises and properly install, test and maintain any backflow prevention device required by the District within two working days of receipt of notice of the improper cross-connection. The User shall provide copies of all testing and maintenance records on such devices to the District within three working days of the testing or maintenance. If the User fails to correct the noted unacceptable plumbing practice, the District may immediately terminate water service or, at the User's sole cost and expense, eliminate the cross-connection or correct the unacceptable plumbing practice.

H. Plumbing Material Restrictions.

- (1) Prohibition on Use of Specified Materials. In addition to any materials that may be prohibited by the City pursuant to its regulations, the use of the following plumbing materials are prohibited in any and all improvements connected to the District's water system:
 - (a) Any pipe or pipe fitting which contains more than a weighted average of 0.25% lead; and
 - (b) Any solder or flux which contains more than 0.2% lead.
- (2) Customer Service Inspection Certification. Before the District will provide water and sewer service to any new improvement, a fully executed Customer Service Inspection Certification, in the form attached as Exhibit B, signed by a state-licensed plumber must be submitted to the District.

I. Penalty for Violation. The failure of a User to comply with the terms of this Section will be considered a violation of the Rate Order. If such a violation occurs, or if the District determines the existence of a serious threat to the integrity of the District's water supply, the District, in its sole option, may, in addition to all other legal remedies available to it, including those remedies set out in this Rate Order, immediately terminate service or, at the User's sole cost and expense, install the plumbing fixtures or assemblies necessary to correct the unacceptable plumbing practice. If the District terminates service in order to preserve the integrity of the District's water supply, service will be restored only when the source of the potential contamination no longer exists or until additional safeguards have been taken. Any and all expenses associated with the enforcement of this Section shall be billed to the User.

Section 8: Requirements for Service.

A. Approval of Plans. Before any connection, other than a Single-Family Residential User connection, is made to the District's water, sewer, or drainage system, or before any reconnection is made, the person requesting such connection shall submit to the District's engineer for review and approval the water, sanitary sewer, and drainage plans and specifications for the property for which the connection is sought. Such plans shall clearly show the estimated volumes of water or effluent and the proposed points of connection to the District's system. A copy of such approved plans, with the engineer's approval indicated thereon, shall be submitted to the District's operator. Any modification of such plans shall require reapproval by the District's engineer. The District reserves the right to require removal of any connection made in violation of this Section.

Section 9: Swimming Pool Inspections and Fee. Swimming pool connections will be made in accordance with the City of Houston Plumbing Code requirements. Every User who plans to construct or install a swimming pool within the District shall notify the District's operator in writing prior to commencing construction of the pool. Upon notification by the User of the intention to construct or install a swimming pool, the User shall pay an inspection fee of \$50.00. After the notification is received, the District's operator shall ensure that all drains from the swimming pool are connected to the District's sanitary sewer system. After the drains have been installed, the User shall notify the District's operator, who shall make an inspection of all swimming pool drains to verify that the proper connection is made, before service is authorized for said swimming pool.

Section 10: Sewer Regulations. The following regulations apply to all Users of the District's Sanitary Sewer System.

A. Quality of Sewage.

- (1) Domestic Waste. Only ordinary liquid and water-borne human waste and waste from commercial and domestic activities, such as washing, bathing, and food preparation (but excluding without limitation industrial waste), that is amenable to biological treatment and that is discharged from sanitary conveniences of buildings connected to a public sanitary sewer system shall be discharged into the District's sanitary sewer lines. Waste resulting from any process of commerce or industry may not be discharged into the District's sanitary sewer lines except as authorized pursuant to subsection (2) below.

- (2) Commercial and Industrial Waste. All discharges other than waste described in subsection (a) are prohibited unless the user has applied to and received written authorization from the District for such discharge. The applicant must file a statement with the District containing the following information:
- (a) Name and address of applicant;
 - (b) Type of industry, business, activity, or other waste-creative process;
 - (c) Quantity of waste to be discharged;
 - (d) Typical analysis of the waste;
 - (e) Type of pretreatment proposed; and
 - (f) Such other information as the District may request in writing.

The District shall have the right to reject any application for discharge of non-domestic waste into the District's sanitary sewer lines if the District determines in its sole discretion that the proposed discharge may be harmful to the District's sanitary sewer system or the environment. The District also shall have the right in approving any application for the discharge of non-domestic waste to impose any limitations on such discharge that the District determines in its sole discretion to be necessary to protect the District's sanitary sewer system or the environment. Notwithstanding the above, any consent granted under this subsection must be approved by the Director of Public Works of the City of Houston prior to becoming effective.

- (3) National Categorical Pretreatment Standard. If a user is subject to a national categorical pretreatment standard pursuant to regulations promulgated by the Environmental Protection Agency under Section 307 of the federal Clean Water Act, the user is prohibited from discharging pollutants into the District's sanitary sewer system in violation of applicable categorical pretreatment standards.
- (4) District Testing; Pretreatment. The District shall have the right to sample and test any user's discharge at the discretion of the District's operator, with no limit as to the frequency of the tests, and to charge the user for the District's cost of such sampling and testing. The District also shall have the right to require pretreatment, at the user's expense, of any discharge of non-domestic waste if the District determines in its sole discretion that pretreatment of such waste is necessary to protect the District's sanitary sewer system or the

environment, even if pretreatment is not otherwise required pursuant to subsection (c) above.

- (5) No downspouts, yard or street drains, or gutters will be permitted to be connected into the District's sanitary sewer facilities.

B. Service Lines

- (1) Service line is defined as the sewer line from the foundation of the house or commercial building to the sewer line owned by the District.
- (2) Only one service line connection to the District's sanitary sewage collection system is permitted for each residence or commercial building.
- (3) Only the following types of pipe and fitting materials are approved for constructing service lines. Pipe and fittings in each individual service line will be of identical material.
 - (a) Schedule 40 conforming to ASTM, D-1785 and installed as per section II of these specifications.
 - (b) Six-inch lines and over; polyvinyl chloride (PVC) pressure rated pipe SDR 26 or SDR 21 conforming to ASTM D 3034 with rubber gasket joints conforming to ASTM, F-477 and installed as per section II of these specifications.
 - (c) Ductile-iron pipe conforming to ANSI A21.51 with rubber gasket joints ANSI A21.11, and installed according to manufacturer's recommendations.
- (4) Minimum sizes of service lines shall be as follows:
 - (a) Residential -- 4 inches in diameter.
 - (b) Commercial -- 6 inches in diameter.
- (5) Minimum grades for service lines shall be as follows:
 - (a) 4 inch pipe -- one foot drop per hundred feet (1%).
 - (b) 6 inch pipe -- six inches drop per hundred feet (0.5%).

- (c) 8 inch pipe -- four inches drop per hundred feet (0.33%).
- (6) Maximum grades for service lines shall be as follows:
 - (a) 4 inch pipe -- two and one-half feet drop per hundred feet (2.5%).
 - (b) 6 inch pipe -- one and one-half feet drop per hundred feet (1.5%).
 - (c) 8 inch pipe -- one foot drop per hundred feet (1%).
- (7) Construct service lines to true alignment and grade. Warped and sagging lines will not be permitted.

C. Connection of Building Sewer Outlet to Service Lines

- (1) Building tie-on connection will be made directly to the stub-out from the building plumbing at the foundation on all waste outlets.
- (2) Water-tight adapters of a type compatible with the materials being joined will be used at the point of connection of the service line to the building plumbing. No cement grout materials are permitted.
- (3) Existing "wye" and stack connections must be utilized for connection of the service line to the sewer main unless an exception is permitted by the District's operator.
- (4) The physical connection to the sewer main shall be made by use of an adapter of a type compatible with materials being joined. The connection shall be watertight. Portion to be cut out from sewer main shall be circular and available for inspection.
- (5) No connection shall be made into a manhole without approval from the District.
- (6) No sewer lines shall be laid within nine feet of a water line unless the sewer pipe and its couplings shall have a pressure rating of not less than 150 pounds per square inch (psi).

D. Service Line Fittings and Cleanouts

- (1) No bends or turns at any point will be greater than 45 degrees.
- (2) Each horizontal service line will be provided with a cleanout at its upper terminal; and each such run of piping which is more than 90 feet in length will be provided with a cleanout for each 90 feet or fraction thereof, in the length of such piping.
- (3) Each cleanout will be installed so that it opens in a direction opposite to the flow of the waste and, except in the case of "wye" branch and end-of-the-line cleanouts, cleanouts will be installed vertically above the flow line of the pipe.
- (4) Cleanout will be made with air-tight mechanical plug.

E. Connection Permit

- (1) Application for Sanitary Sewer Service must be filed prior to construction of the service line and the connection fee should accompany this application. (Application forms are available from the District's operating company, attached as Exhibit E). Construction must not begin until authorized by the District.
- (2) When the service line is complete, and prior to backfilling the pipe trench, the applicant for sewer service shall request an inspection of the installation. Requests for inspections shall be made to the District's operator 24 hours in advance of the inspection.
- (3) The physical connection to the District's sewer main will be made by use of an adapter of a type compatible with materials being joined. The connection shall be water-tight. No cement grout materials are permitted.
- (4) Backfilling of service lines trench must be accomplished within 24 hours of inspection and approval. The trench backfill material will be clean and free of debris and will be compacted in one foot lifts to prevent future trench settlement.
- (5) A connection permit will be granted after inspection confirms that all requirements of these regulations set forth herein have been met.
- (6) In addition to the District's requirements, all taps must be inspected and approved by The City of Houston, and the applicant is

responsible for all scheduling, permits and fees related to such approval.

F. Grease, Lint, and Sand Traps

- (1) Grease traps will be required for dining establishments where food is prepared and served to customers on premises.
- (2) Washateria operations shall require a lint trap.
- (3) Air space above the water line must be vented with four-inch soil pipe if the trap is located inside a building.
- (4) All shopping centers shall provide a grease trap and a sampling well.
- (5) All health care facilities shall provide an acid dilution basin and a sampling well.
- (6) Sand traps will be required for all car washing establishments.

- G. Excluded Flow and Waste. No industrial waste or waste material which is not biologically degradable will be permitted to be discharged into the District's sewage facilities, including mud and debris accumulated during service line installation.

Section 11: Discharges to the Storm Drainage System.

A. Construction Site Operator Responsibilities:

- (1) Compliance with TPDES General Permit No. TXR150000. The construction site operator is required to be compliant with TPDES General Permit No. TXR150000 (the "General Permit") issued by the Texas Commission on Environmental Quality (TCEQ). A storm water pollution prevention plan (the "SWPPP") with a SWPPP narrative, a site plan, and proposed Best Management Practices ("BMPs") (as such term is defined in the General Permit) must be prepared at least seven (7) days prior to commencement of soil disturbing activities. A Notice of Intent (NOI) (as such term is defined in the General Permit) must be submitted by the Construction Site Operator to the TCEQ at least seven (7) days prior to commencement of soil disturbing activities or as required by the General Permit. The construction site operator will be responsible for General Permit required inspections by qualified personnel and

the implementation and regular maintenance of all BMPs listed in the SWPPP as required under the General Permit.

- (2) Other Construction Site Operator Responsibilities. The construction site operator is responsible for the management, SWPPP compliance, and rate order compliance of all of their subcontractors, trades, suppliers, and agents.
- (3) Post-Construction Runoff. Plans for redevelopment or new development greater than or equal to one (1) acre must be approved by the District Engineer. The plans must adequately address post-construction runoff. This includes use of Structural Controls (as such term is defined in the General Permit) as well as non-structural controls.
- (4) Failure to Comply. Failure of a construction site operator to comply with these construction site operator responsibilities will be considered a violation of this Rate Order and will subject the construction site operator to penalties as outlined below:
 - (a) Failure to obtain permit coverage under TXR150000:
\$1000 Fine
 - (b) Failure to prepare a SWPPP as required under TXR150000:
\$500 Fine
 - (c) Notice of Violation for failure to install or maintain BMPs:
\$100 Fine per incident*

*The District reserves the right to charge the construction site operator for any and all expenses incurred while correcting the deficiencies listed in the Notice of Violation.

B. District Responsibilities:

- (1) Construction Site Inspection. The District may perform construction site inspections within the District's boundaries. The District may issue a notice of inspection (a "Notice of Inspection") if there are deficiencies found with any BMP described in the SWPPP. If seven (7) or more days pass and the issues noted in the Notice of Inspection have not been addressed, the District will issue a notice of violation (a "Notice of Violation") for all outstanding deficiencies. The

District, at its sole option, may have the deficiencies repaired at the construction site operator's expense.

- (2) Illicit Discharge Inspection. The District will perform inspections of Storm Sewer User activity that may pose a serious threat to the integrity of the District's waters or storm drainage system. A Notice of Violation will be issued to the Storm Sewer User responsible for the illicit discharge. The District, at its sole option, may have the illicit discharge remedied at the Storm Sewer User's expense.

C. District Storm Sewer User Responsibilities:

- (1) Storm Sewer User Responsibilities. Pursuant to Title 30, Chapter 311 of the Texas Administrative Code and Title 40, Chapter 122 of the Code of Federal Regulations, the District adopts the following storm sewer regulations, which apply to all Storm Sewer Users.
- (2) Illicit Discharge. Only runoff composed entirely of storm water or certain allowable non-storm water shall be discharged to the District's storm sewer system. Other discharges are not authorized. A list of allowable non-storm water discharge is as follows:
 - water line flushing (excluding discharges of hyperchlorinated water, unless the water is first dechlorinated and discharges are not expected to adversely affect aquatic life);
 - runoff or return flow from landscape irrigation, lawn irrigation, and other irrigation utilizing potable water, groundwater, or surface water sources;
 - discharges from potable water sources;
 - diverted stream flows;
 - rising ground waters and springs;
 - uncontaminated ground water infiltration;
 - uncontaminated pumped ground water;
 - foundation and footing drains;
 - air conditioning condensation;
 - water from crawl space pumps;
 - individual residential vehicle washing;
 - flows from wetlands and riparian habitats;
 - dechlorinated swimming pool discharges;
 - street wash water;
 - discharges or flows from fire fighting activities (fire fighting activities do not include washing of trucks, run-off water from

training activities, test water from fire suppression systems, and similar activities);

- other allowable non-storm water discharges listed in 40 CFR 122.26(d)(2)(iv)(B)(1);
- non-storm water discharges that are specifically listed in the TPDES Multi Sector General Permit (MSGP) or the General Permit; and
- other similar occasional incidental non-storm water discharges, unless the Texas Commission on Environmental Quality develops permits or regulations addressing these discharges.

(3) Detection and Elimination. The District's consultants may perform random testing and/or inspection when the District has reason to believe that an illicit connection to the District's storm sewer system exists or that an illicit discharge to the District's storm sewer system is occurring. The cost of such inspection will be the sole responsibility of the Storm Sewer User. In connection with the inspection, the Storm Sewer User shall allow its property and/or the property under its control to be inspected by the District's consultants during normal business hours for possible illicit connections to the District's storm sewer system and other unacceptable discharges to the District's storm sewer system which violate this Rate Order. Thereafter, the District may, at the discretion of the District or the District's consultants, periodically inspect a Storm Sewer User's drainage system during normal business hours for the purpose of identifying possible illicit connections and other unacceptable discharges which violate this Rate Order.

(4) Failure to Comply. The failure of a Storm Sewer User to comply with these Storm Sewer User Responsibilities will be considered a violation of this Rate Order and will subject the User to penalties as outlined below:

- (a) Notice of Violation for Illicit Discharge to District Facilities:
\$500 Fine per incident*

*The District reserves the right to charge the Storm Sewer User for any and all expenses incurred while correcting the deficiencies listed in the Notice of Violation.

D. Penalty for Violation. The failure of a Storm Sewer User to comply with the terms of this Section will be considered a violation of the Rate Order and

will subject the Storm Sewer User to penalties in this Rate Order. If such a violation occurs, or if the District determines the existence of a serious threat to the integrity of the District's waters, the District, in its sole option, may, in addition to all other legal remedies available to it, including those remedies set out in this Rate Order, immediately terminate service or, at the Storm Sewer User's sole cost and expense, install the fixtures or assemblies necessary to correct the illicit connection or unacceptable discharge. If the District terminates service in order to preserve the integrity of the District's waters, service will be restored only when the source of the potential contamination no longer exists or until additional safeguards have been taken and all fines/penalties have been resolved. Any and all expenses associated with the enforcement of this Section shall be billed to the Storm Sewer User. Failure to timely pay such expenses and/or fines and penalties imposed pursuant to this Rate Order will subject the Storm Sewer User to termination of service in accordance with this Rate Order or withholding of taps in accordance with this Rate Order.

Section 12: Surcharge for Service. In fairness to all Users of land within the District, and to honor its contractual obligations and commitments, the District has the right to monitor the use of water and the discharge of sewage to determine if Users are exceeding the amount of capacity committed to serve their land or buildings. As one method of enforcement, the District has determined to reserve the right to impose a surcharge on any User who uses water or discharges sewage in excess of the amount reserved to such User or tract. Accordingly, in addition to the other charges specified herein, the District has the right to impose an additional charge of \$0.05 per gallon of water used in excess of one hundred ten percent (110%) of the amount of capacity reserved to the tract by any utility commitment letter.

Section 13: Termination and Reconnection of Service.

- A. Monthly Bills and Termination. Charges for services performed shall be billed monthly. All bills shall be payable on the 20th day after the date of the statement for said charges. Unless payment of the monthly bill is received on or before the 20th day after the date of said statement or unless payment of any Backcharges is received on or before the 20th day after the date of the invoice, such account shall be considered delinquent and a one time late charge equal to ten percent (10%) of the unpaid balance shall be charged. The District may, in its discretion, disconnect service for failure to pay all charges and Backcharges, including any late charge, by the due date; provided, however, that prior to disconnecting services, the District shall send written notice by United States first class mail to the User or entity at the appropriate address and provide the User or entity with an opportunity to contest, explain or correct the charges, services, or disconnection, at a

meeting of the Board of Directors of the District. The written notice shall inform the User or entity of the amount of the delinquent payment, the date service will be disconnected or additional service withheld if payment is not made, the date, time and place of the next scheduled meeting of the Board of Directors, and of the opportunity to contest, explain or correct the charges, services, or disconnection, by presenting in person or in writing such matter to the Board of Directors at the next scheduled meeting as shown on the notice. The date specified for disconnection shall be after the date of the next scheduled meeting of the Board of Directors as shown in the notice and the date for withholding additional service shall be the date of that Board meeting. The notice shall be deposited, postpaid, in a post office or official depository under the care and custody of the United States Postal Service prior to the date of the scheduled meeting of the Board of Directors. A written statement by the District's operator that the notice was so mailed and a certificate of mailing by the United States Postal Service shall be prima facie evidence of delivery of same. If the User or entity appears before the Board in person or in writing, the Board shall hear and consider the matter and inform the User or entity of the Board's determination by sending written notice by United States first class mail to the User or entity at the appropriate address.

- B. Billing and Service During Extreme Weather Emergency. Notwithstanding any provisions of this Rate Order to the contrary, a User or entity may not be charged late fees nor have service disconnected for nonpayment of a bill that is due during an extreme weather emergency until after the emergency is over. A User or entity may, within thirty (30) days from the date the extreme weather emergency is over, request from the District a payment schedule for any unpaid bill that is due during an extreme weather emergency. Upon receipt of a timely payment schedule request, the District shall provide, in writing, a payment schedule and a deadline for accepting the payment schedule. The District or the District's operator may, at the discretion of the District and/or the District's operator, determine the terms of the payment schedule described in this paragraph in accordance with applicable laws and regulations. If a User or entity requests a payment schedule pursuant to this paragraph, the District shall not disconnect the User or entity from service for nonpayment of bills that are due during an extreme weather emergency unless: (1) the payment schedule has been offered and the User or entity has declined to accept the payment schedule in a timely fashion; or (2) the User or entity has violated the terms of the payment schedule. Any preexisting disconnection notices issued to a User or entity for nonpayment of bills due during an extreme weather emergency are suspended upon the timely request for a payment schedule made under this paragraph; provided, however, that if: (1) the User or entity does not timely accept a payment schedule offered by the District; or

(2) the User or entity violates the terms of the payment schedule, then any suspended disconnection notices may be reinstated. A User or entity who violates the terms of a payment schedule shall be subject to disconnection from service pursuant to the provisions of this Rate Order. For purposes of this paragraph, "extreme weather emergency" means a period when the previous day's highest temperature in an area did not exceed 28 degrees Fahrenheit and the temperature is predicted to remain at or below that level for the next 24 hours according to the nearest National Weather Service reports for that area. For purposes of this paragraph, an "extreme weather emergency" is over on the second business day the temperature exceeds 28 degrees Fahrenheit.

- C. Termination for Rate Order Violations. Any person, corporation or other entity who violates any provision of this Rate Order, in addition to being subject to the penalties described in this Rate Order, shall be subject to having service terminated; provided, however, that prior to disconnecting service for violations that do not constitute a hazard to health or safety or endanger the integrity of the District's system, the District shall give written notice by first class mail or otherwise, to such person, corporation or other entity, of the pending disconnection, and shall give such person, corporation or other entity the opportunity to contest, explain or correct the violation of the Rate Order at a meeting of the Board of Directors of the District. Such disconnection shall be in addition to penalties that may be imposed by the District under this Rate Order.
- D. Reconnection. If service to a User is disconnected for nonpayment of a delinquent bill or for any cause legally authorized, a reconnection fee of \$50.00 plus a security deposit of \$75.00, payable as provided below, shall be paid prior to service being restored. Payment of fees and charges under this Section must be in the form of credit card, cashier's check, or money order.
- E. Pulled Meter. In the event that the District's operator removes a User's meter due to unauthorized reconnection of service subsequent to its

termination by the District, a reinstallation fee of \$50.00 shall be paid prior to service being restored, which fee is in addition to any other fees imposed.

- F. Termination of Service Upon Request of User. Whenever a User of District services temporarily or permanently abandons the structure or building receiving service and no longer wishes to be serviced, he or she shall notify the District's operator at least two (2) days prior to the time he or she desires service to be discontinued. The District shall charge such User \$50.00 for discontinuing and \$50.00 for restoring service if such service is discontinued or restored at the request of the User and he or she is not delinquent in the payment of any bill at the time of the request.
- G. After-Hours Service Charge. Any User who requests the District's operator to disconnect or reconnect service during non-business hours (i.e. Saturdays and Sundays and after 4:00 p.m. on weekdays) will be charged an after-hours service charge of \$40.00.

Section 14: Returned Check Charge. The District will charge a \$30.00 fee to any customer for each check given to the District for payment that must be returned for any reason. Payments attempted to be made by a check which is returned shall be considered delinquent unless cash or certified funds are presented to the District for payment within the time period required by the previous section.

Section 15: Additional Payment Options. Any User may pay the monthly water and sewer bill via the payment options provided through the District and its operator including but not limited to, online check and credit card payments, check and credit card payments processed over the telephone, and payment through various area retail locations. Certain payment options are made available through service providers who may charge Users a convenience fee in connection with some payment options. Such convenience fees are the sole responsibility of the User and are separate from any amount owed by the User to the District. Non-payment of any such convenience fee shall subject the User to termination of service in accordance with this Rate Order. If any User payment is refused or returned by the processing financial institution, the District will charge the User a return item fee of \$30.00. Acceptable payment methods for delinquent accounts may be restricted as specified elsewhere in this Rate Order.

Section 16: Security Deposit.

- A. For Users that have been disconnected as described above, a one-time non-interest bearing deposit in the amount of \$75.00 shall be required to be paid prior to service being restored. Once a User has paid a deposit, such User shall not be required to pay another deposit if the User is subsequently

disconnected. The security deposit shall be held by the District as a deposit to assure prompt payment of all charges for service in the future. No interest shall be paid on the deposit.

Any final payments due to the District upon termination of service will be deducted from the security deposit and all remaining funds in the account will be distributed by the Bookkeeper to the User after the disbursement of said funds has been approved by the Board.

- B. A deposit of \$150.00 shall be charged to all new Single-Family Residential Users in the District. A deposit equal to three times the average monthly utility bill, as determined by the District's operator, shall be required of all other Users in the District. Such sums shall be included in the first utility bill and shall be held by the District as a deposit to assure prompt payment of all charges for utility service. No interest will be allowed on such deposits.
- C. A \$1,000.00 deposit shall be required of each builder prior to any water taps being made for such builder in the District. Said deposit shall be refunded by the District upon written request by a builder; provided, however, that all or a portion of the deposit shall be forfeited as a penalty in the event that any provision of this Rate Order, as may be amended from time to time, is violated. The deposit described herein may be applied by the District to the cost of repair of any damage caused to District property by the builder or builder's agent, whereupon it will be the builder's responsibility to reinstate the original amount of the deposit prior to the District's operator making any additional water taps for said builder.

Section 17: Easements. Before service is commenced to any User, the person requesting such service shall grant an easement of ingress and egress to and from the meter for such maintenance and repair as the District, in its judgment, may deem necessary.

Section 18: Pressure of Water. The District agrees to use all reasonable efforts to supply to any User adequate pressure of water. The District does not and will not guarantee to any User a specific quantity or pressure of water for any purpose whatsoever. The District is required only to furnish a connection to its System and in no case shall the District be liable for the failure or refusal to furnish water or any particular amount or pressure of water; however, the District shall use reasonable efforts to supply water to all Users at an acceptable minimum pressure.

Section 19: No Free Service. No free service shall be granted to any User for services furnished by the District's System whether such User be a charitable or eleemosynary institution, a political subdivision or municipal corporation, and all charges for service shall be made as required herein.

Section 20: Required Service. No service shall be given from the District's System unless such User agrees to take both water and sewer service, except in those instances where the Board determines that both services are not necessary for the preservation of the sanitary condition of water within the District.

Section 21: Delinquent Letter Fee. A fee of \$10.00 shall be charged by the District for each notice of delinquency mailed to an account to cover the District's costs associated with such notice.

Section 22: Stormwater Quality Compliance.

- A. Consistent with the requirements set forth in the Texas Pollutant Discharge Elimination System General Permit Number TXR040000, the District has a Stormwater Management Program (SWMP) in effect. In accordance with the SWMP, the District has adopted a Stormwater Guidance Manual setting forth the rules and regulations with which all the storm sewer users of the District's stormwater system must comply.

Section 23: Penalties for Violation. Any person, corporation or other entity who:

- A. violates any Section of this Rate Order; or
- B. makes unauthorized use of District services or facilities, including, without limitation, water, sanitary sewer, storm sewer, drainage and detention pond facilities and any public areas; or
- C. causes damage to District facilities by using such facilities in a manner or for a purpose contrary to the purpose for which such facilities were designed, including, without limitation, any damage caused to water, sanitary sewer, storm sewer, drainage and detention pond facilities and any public areas; or
- D. uses or permits the use of any septic tank or holding tank within the District; or

- E. violates the District's regulations governing water and sanitary sewer lines and connections set forth herein; or
- F. constructs facilities or buildings which are not included in the approved plans for development as set forth in this Rate Order; or
- G. violates the District's Order Adopting Drought Contingency Plan; or
- H. violates the rules and regulations contained in the District's Stormwater Guidance Manual;

shall be subject to a penalty of up to \$5,000.00 for each breach of the foregoing provisions. Each day that a breach of any provision hereof continues shall be considered a separate breach.

This penalty shall be in addition to the other penalties provided by the laws of the State and to any other legal rights and remedies of the District as may be allowed by law.


Section 24: Out-of-District Service. The Board of Directors shall determine whether to provide any utility service to areas outside of the District and the terms and conditions for such service.

Section 25: Applicability of Rate Order. This Rate Order and all of the provisions herein apply only to utility service to land within the District. The Board of Directors shall determine whether to provide any utility service to areas outside of the District and the terms and conditions for such service.

Section 26: Superseding Order. This Amended Rate Order supersedes all previous Rate Orders adopted by the Board of Directors of the District.

[EXECUTION PAGE FOLLOWS]

ADOPTED this 21st day of December, 2022.



President, Board of Directors

ATTEST:



Secretary, Board of Directors

(SEAL)



EXHIBIT "A"
STANDARD SANITARY SEWER USAGE RATES

CALCULATE VALUE BASED ON THE FOLLOWING DATA:

A) Residential Development	
Single Family Residential	315 GPD/Unit
Townhouse/Patio/Cluster Homes	315 GPD/Unit
Duplex/Triplex	315 GPD/Unit
Fourplex	270 GPD/Unit
Condominium	225 GPD/Unit
Apartment with Washer/Dryer	225 GPD/Unit
Apartment without Washer/Dryer	225 GPD/Unit
B) Non-Taxable Development	
Church	
Auditorium	1 GPD/Seat
Administration Building	15 GPD/Capita
Day School Classroom	10 GPD/Capita
School	
Unspecified	15 GPD/Capita
Elementary	10 GPD/Capita
Day Care Center	10 GPD/Capita
Residential	100 GPD/Capita
Dormitory	90 GPD/Capita
Hospital	200 GPD/Bed
Nursing Home	90 GPD/Bed
Prison	280 GPD/Capita
C) Office Development	
Office Building	0.10526 GPD/Square Feet
D) Retail Development	
Retail Store	0.07 GPD/Square Feet
Grocery Store	0.07 GPD/Square Feet
Convenience Store with gasoline	0.10 GPD/Square Feet
E) Restaurant Development	
Average Full Service 10-12 Hours	35 GPD/Seat
Twenty Four (24) Hour Full Service	50 GPD/Seat
Tavern or Lounge (No Food Service)	10 GPD/Seat
Soda Fountain	10 GPD/Seat

	Fast Food Paper Plate Service	10 GPD/Seat
	Cafe	20 GPD/Seat
	Bakery	0.225 GPD/Square Feet
	Pizza Parlor	8 GPD/Seat
	Fast Food (No Seating)	0.07 GPD/Square Feet
F)	Coiffure Development	
	Beauty Shop	150 GPD/Shampoo Bowl
	Barber Shop	150 GPD/Shampoo Bowl
G)	Cleaning Development	
	Washateria (Based on 50 G/Wash and 10 washes/day)	500 GPD/Machine
	Car Wash	
	Individual Bay, Self-service w/o reclaim (wand type)	300 GPD/Bay
	Individual Bay, Self-service with reclaim (wand type)	0 GPD/Bay
	Commercial w/o reclaim (tunnel type)	1200 GPD
	Commercial with reclaim (tunnel type)	0 GPD
H)	Recreational Development	
	Theatre	
	Indoor	5 GPD/Seat
	Drive-In	5 GPD/Space
	Skating Rink	5 GPD/Capita
	Bowling Alley	200 GPD/Lane
	Swimming Pool	5 GPD/Swimmer
	Stadium	3 GPD/Seat
	Country Club	100 GPD/Member and 25 GPD/Guest
	Health Club/Spa w/swimming pool and/or whirlpool	10GPD/Member/Day
	Health Club/Spa w/out swimming pool and/or whirlpool	5GPD/Member/Day
	Raquetball Club	160.25GPD/Court

I)	Service Station Development	
	Station with service (maximum of 1000 GPD if no car wash)	500 GPD/Island
	Self Service Station	0.07 GPD/Square Feet
J)	Hotel/Motel Development	
	Hotel/Motel (excluding restaurant)	79 GPD/Room
	Hotel/Motel (w/kitchenettes)	135 GPD/Room
K)	Industrial Development	
	Warehouse	0.03 GPD/Square Feet
	Factory w/shower	25 GPD/Capita
	Factory w/o shower	20 GPD/Capita
	Factory Residential	80 GPD/Capita
	Industrial Laundry	300 GPD/50 lbs.
	Clothes or	5000 GPD/Machine
	Manufacturing	0.05 GPD/Square Feet
L)	Transportation Terminal Development	
	Transportation Terminal (excluding restaurants)	5 GPD/Passenger
M)	Other	
	Film Processor	1260 GPD/Processor
	Fire Station	90 GPD/Capita
	Funeral Homes	675 GPD/Body
	Toilet	80 GPD/Toilet

EXHIBIT "B"

Exhibit "B-1"

Texas Commission on Environmental Quality
Customer Service Inspection Certificate

Name of PWS:	
PWS ID #:	
Location of Service:	

Reason for Inspection:	
New construction	<input type="checkbox"/>
Existing service where contaminant hazards are suspected	<input type="checkbox"/>
Material improvement, correction or expansion of distribution facilities	<input type="checkbox"/>

I _____, upon inspection of the private water distribution facilities connected to the aforementioned public water supply do hereby certify that, to the best of my knowledge

Compliance	Non-Compliance	
<input type="checkbox"/>	<input type="checkbox"/>	(1) No direct or indirect connection between the public drinking water supply and a potential source of contamination exists. Potential sources of contamination are isolated from the public water system by an air gap or an appropriate backflow prevention assembly in accordance with Commission regulations.
<input type="checkbox"/>	<input type="checkbox"/>	(2) No cross-connection between the public drinking water supply and a private water system exists. Where an actual air gap is not maintained between the public water supply and a private water supply, an approved reduced pressure principle backflow prevention assembly is properly installed.
<input type="checkbox"/>	<input type="checkbox"/>	(3) No connection exists which would allow the return of water used for condensing, cooling or industrial processes back to the public water supply.
<input type="checkbox"/>	<input type="checkbox"/>	(4) No pipe or pipe fitting which contains more than 8.0% lead exists in private water distribution facilities installed on or after July 1, 1988 and prior to January 4, 2014.
<input type="checkbox"/>	<input type="checkbox"/>	(5) Plumbing installed on or after January 4, 2014 bears the expected labeling indicating ≤0.25% lead content. If not properly labeled, please provide written comment.
<input type="checkbox"/>	<input type="checkbox"/>	(6) No solder or flux which contains more than 0.2% lead exists in private water distribution facilities installed on or after July 1, 1988.

I further certify that the following materials were used in the installation of the private water distribution facilities:

Service lines:	Lead <input type="checkbox"/>	Copper <input type="checkbox"/>	PVC <input type="checkbox"/>	Other <input type="checkbox"/>
Solder:	Lead <input type="checkbox"/>	Lead Free <input type="checkbox"/>	Solvent Weld <input type="checkbox"/>	Other <input type="checkbox"/>

Remarks:	

I recognize that this document shall be retained by the aforementioned Public Water System for a minimum of ten years and that I am legally responsible for the validity of the information I have provided.

Signature of Inspector:	License Type:
Inspector Name(Print/Type):	License Number:
Title of Inspector:	Date / Time of Insp.: _____ / _____

A Customer Service Inspection Certificate should be on file for each connection in a public water system to document compliance with 30 TAC § 290.44(h)/290.46(j).

EXHIBIT "C"
FORM OF SERVICE AGREEMENT

- I. **PURPOSE.** Fort Bend County Municipal Utility District No. 122 (the "District") is responsible for protecting the drinking water supply from contamination or pollution which could result from improper plumbing practices. The purpose of this service agreement is to notify each customer of the plumbing restrictions which are in place to provide this protection. The District enforces these restrictions to ensure the public health and welfare. Each customer must sign this agreement before the District will begin service. In addition, when service to an existing connection has been suspended or terminated, the District will not re-establish service unless it has a signed copy of this agreement.
- II. **PLUMBING RESTRICTIONS.** The following unacceptable plumbing practices are prohibited by State regulations.
- A. No direct connection between the public drinking water supply and a potential source of contamination is permitted. Potential sources of contamination shall be isolated from the public water system by an air-gap or an appropriate backflow prevention device.
 - B. No cross-connection between the public drinking water supply and a private water system is permitted. These potential threats to the public drinking water supply shall be eliminated at the service connection by the installation of an air-gap or a reduced pressure-zone backflow prevention device.
 - C. No connection which allows water to be returned to the public drinking water supply is permitted.
 - D. No pipe or pipe fitting which contains more than a weighted average of 0.25% lead may be used for the installation or repair of plumbing at any connection which provides water for human use.
 - E. No solder or flux which contains more than 0.2 percent lead can be used for the installation or repair of plumbing at any connection which provides water for human use.
- III. **SERVICE AGREEMENT.** The following are the terms of the service agreement between Fort Bend County Municipal Utility District No. 122 (the "District") and _____ (the "Customer").
- A. The District will maintain a copy of this agreement as long as Customer and/or the premises is connected to the District's water system.
 - B. Customer shall allow his/her property to be inspected for possible cross-connections and other unacceptable plumbing practices. These inspections shall be conducted by the District or its designated agent prior to initiating new water

service; when there is reason to believe that cross-connections or other unacceptable plumbing practices exist; or after any major changes to the private plumbing facilities. The inspections shall be conducted during the District's normal business hours.

- C. The District shall notify Customer in writing of any cross-connection or other unacceptable plumbing practice which has been identified during the initial inspection or the periodic reinspection.
- D. Customer shall immediately correct any unacceptable plumbing practice on his/her premises.
- E. Customer shall, at his/her expense, properly install, test, and maintain any backflow prevention device required by the District. Copies of all testing and maintenance records shall be provided to the District.
- F. Customer understands and agrees that the District does not guarantee any specific quantity or pressure of water for any purpose whatsoever and that the District is not liable to customer for failure or refusal to furnish any particular amount or pressure of water to Customer at any time.

IV. **ENFORCEMENT.** If Customer fails to comply with the terms of the Service Agreement, the District shall, at its option, either terminate service or properly install, test, and maintain an appropriate backflow prevention device at the service connection. Any expenses associated with the enforcement of this Service Agreement shall be billed to Customer.

CUSTOMER'S SIGNATURE: _____

DATE: _____

ADDRESS: _____

EXHIBIT "D"

Exhibit "D-1"

Texas Commission on Environmental Quality
BACKFLOW PREVENTION ASSEMBLY TEST AND MAINTENANCE REPORT

The following form must be completed for each assembly tested. A signed and dated original must be submitted to the public water supplier for recordkeeping *purposes:

NAME OF PWS:	
PWS ID#:	
PWS MAILING ADDRESS:	406 W Grand Parkway S, Suite 260, Katy, TX 77494
PWS CONTACT PERSON:	Municipal District Services, Builder Services Department, 281-290-6503, option 2, bldrservices@mdswater.com
ADDRESS OF SERVICE:	

The backflow prevention assembly detailed below has been tested and maintained as required by commission regulations and is certified to be operating within acceptable parameters.

TYPE OF BACKFLOW PREVENTION ASSEMBLY (BPA):

<input type="checkbox"/>	Reduced Pressure Principle (RPBA)	<input type="checkbox"/>	Reduced Pressure Principle-Detector (RPBA-D)	Type II <input type="checkbox"/>
<input type="checkbox"/>	Double Check Valve (DCVA)	<input type="checkbox"/>	Double Check-Detector (DCVA-D)	Type II <input type="checkbox"/>
<input type="checkbox"/>	Pressure Vacuum Breaker (PVB)	<input type="checkbox"/>	Spill-Resistant Pressure Vacuum Breaker (SVB)	

Manufacturer:	Main:	Bypass:	Size:	Main:	Bypass:
Model Number:	Main:	Bypass:	BPA Location:		
Serial Number:	Main:	Bypass:	BPA Serves:		

Reason for test:	New <input type="checkbox"/>	Existing <input type="checkbox"/>	Replacement <input type="checkbox"/>	Old Model/Serial #
Is the assembly installed in accordance with manufacturer recommendations and/or local codes?				<input type="checkbox"/> Yes <input type="checkbox"/> No
Is the assembly installed on a non-potable water supply (auxiliary)?				<input type="checkbox"/> Yes <input type="checkbox"/> No

TEST RESULT	Reduced Pressure Principle Assembly (RPBA)			Type II Assembly	PVB & SVB	
	DCVA		Relief Valve	Bypass Check	Air Inlet	Check Valve
	1 st Check	2 nd Check***				
PASS <input type="checkbox"/> FAIL <input type="checkbox"/>						
Initial Test Date: _____ Time: _____	Held at ____psid Closed Tight <input type="checkbox"/> Leaked <input type="checkbox"/>	Held at ____psid Closed Tight <input type="checkbox"/> Leaked <input type="checkbox"/>	Opened at ____psid Did not open <input type="checkbox"/>	Held at ____psid Closed Tight <input type="checkbox"/> Leaked <input type="checkbox"/>	Opened at ____psid Did not open <input type="checkbox"/> Did it fully open (Yes <input type="checkbox"/> /No <input type="checkbox"/>)	Held at ____psid Leaked <input type="checkbox"/>
Repairs and Materials Used**	Main: Bypass:					
Test After Repair Date: _____ Time: _____	Held at ____psid Closed Tight <input type="checkbox"/>	Held at ____psid Closed Tight <input type="checkbox"/>	Opened at ____psid	Held at ____psid Closed Tight <input type="checkbox"/>	Opened at ____psid	Held at ____psid

*** 2nd check: numeric reading required for DCVA only

Differential pressure gauge used:	Potable: <input type="checkbox"/>	Non-Potable: <input type="checkbox"/>
Make/Model:	SN:	Date tested for accuracy :

Remarks:	

Company Name:	Licensed Tester Name (Print/Type):	
Company Address:	Licensed Tester Name (Signature):	
Company Phone #:	BPAT License #	
	License Expiration Date:	

The above is certified to be true at the time of testing.

* TEST RECORDS MUST BE KEPT FOR AT LEAST THREE YEARS [30 TAC §290.46(B)]

** USE ONLY MANUFACTURER'S REPLACEMENT PARTS

EXHIBIT "E"

(Transmit in duplicate to: [Address]):

APPLICATION FOR SANITARY SEWER SERVICE

(Please print or type)

(Name of Applicant) _____ Lot _____ Block _____ Section

(Street Address) _____ (Phone) _____ (City) _____ (State) _____ (Zip)

Installation to be performed by: _____
(Plumber or Sub-Contractor) _____ (Phone)

Type of pipe material to be used: PVC _____, CI _____

Date: _____ Requested by: _____

(Signature)

Applicant to draw sketch of house layout and proposed location of sewer service line:

For District Use Only

Date Application Received: _____

Date Construction Authorized: _____

Connection Information: _____
WYE Location _____
Stack Location _____
Manhole Location _____

Date of Inspection: 1st _____ 2nd _____ 3rd _____

Date Permit Granted: _____

Approved by: _____
(District Representative)

Exhibit "E-1"

THE STATE OF TEXAS §
 §
COUNTY OF FORT BEND §

I, the undersigned officer of the Board of Directors of Fort Bend County Municipal Utility District No. 122, hereby certify as follows:

1. The Board of Directors of Fort Bend County Municipal Utility District No. 122 convened in regular session on December 21, 2022, outside the boundaries of the District, and the roll was called of the members of the Board:

Ms. Diane Perkins	President
Ms. Barbara Nelson	Vice President
Mr. Melissa Colihan	Secretary
Mr. Shariq Ghani	Assistant Vice President
Ms. Julia Mercer	Assistant Secretary

and all of said persons were present except Director(s) _____, thus constituting a quorum. Whereupon, among other business, the following was transacted at the meeting: a written

AMENDED RATE ORDER AND REGULATIONS GOVERNING WATER
AND SANITARY SEWER LINES AND CONNECTIONS

was introduced for the consideration of the Board. It was then duly moved and seconded that the order be adopted, and, after due discussion, the motion, carrying with it the adoption of the order, prevailed and carried unanimously.

2. A true, full, and correct copy of the aforesaid order adopted at the meeting described in the above and foregoing paragraph is attached to and follows this certificate; the action approving the order has been duly recorded in the Board's minutes of the meeting; the persons named in the above and foregoing paragraph are the duly chosen, qualified, and acting officers and members of the Board as indicated therein; each of the officers and members of the Board was duly and sufficiently notified officially and personally, in advance, of the time, place, and purpose of the aforesaid meeting, and that the order would be introduced and considered for adoption at the meeting, and each of the officers and members consented, in advance, to the holding of the meeting for such purpose; the meeting was open to the public as required by law; and public notice of the time, place, and subject of the meeting was given as required by Chapter 551, Texas Government Code, and Section 49.063, Texas Water Code.

SIGNED AND SEALED on December 21, 2022.



1072998


Secretary, Board of Directors